



QM INDUSTRIES BEARING LIMITED



65 mm x 120 mm x 68.3 mm SKF YAR 213-2F
CHINA Bearing 65X120X68.3

Bearing No. YAR 213-2F

YAR 213-2F Bearing 2D drawings and 3D CAD models

Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.823
EAN	7316577032188
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	M Seal
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	65MM Bore; Wide Inner Ring; Ball Bearing; 68.3MM Length Thru Bore; 27MM Outer Race Width; 120MM Outside Diameter; Relubricatable; M Seal Seal; Set Screw Mounting Method; No Snap Ring
Inch - Metric	Metric
Other Features	Single Row Medium Duty Grub Screw Has Flinger Metric
Category	Insert Bearings



QM INDUSTRIES BEARING LIMITED

UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	YAR 213-2F
Weight / LBS	3.75
d	2.559 Inch 65 Millimeter
Outer Race Width	1.063 Inch 27 Millimeter
D	2.689 Inch 68.3 Millimeter
D	4.724 Inch 120 Millimeter
bore diameter:	65 mm
radial dynamic load capacity:	57.2 kN
outside diameter:	120 mm
radial static load capacity:	40 kN
outer ring width:	27 mm
bearing material:	Stainless Steel
inner ring width:	68.3 mm
finish/coating:	Zinc Plated
bore type:	Round
maximum rpm:	3000 RPM
locking device:	Set Screw
seal type:	Contact with Flinger
operating temperature range:	-40 to +210 ° F
series:	YAR2
d	65 mm
D	120 mm
B	68.3 mm
C	27 mm
d ₁	82.5 mm
B ₄	10 mm



QM INDUSTRIES BEARING LIMITED

$r_{1,2}$ min.	1.5 mm
s_1	42.9 mm
Basic dynamic load rating C	57.2 kN
Basic static load rating C_0	40 kN
Fatigue load limit P_u	1.7 kN
Limiting speed ¹⁾	3000 r/min
Calculation factor f_0	15
Mass complete bearing	1.8 kg
Thread grub screw G_2	M10x1
Hexagonal key size for grub screw N	5 mm
Recommended tightening torque for grub screw	16.5 N · m